



Rod Holder Systems



Level-Cup™ **Self-Leveling Cup Holder Systems**





ALENIEU & PALS. PEN

MOUNTING BASE OPTIONS



RAM® 2" x 2.5" Rectangle Base with the AMPs Hole Pattern & 1.5" Ball

The RAP-202U-225 consists of a 1.5" diameter rubber ball connected at right angles to a 2" x 2.5" rectangular base. This mount has pre-drilled holes at each corner of the base plate.

Part Number: RAP-202U-225 **Material: High Strength Composite** Ball Size: 1.5" Rubber Ball



RAM® 2.43" x 1.31" Diamond Base with 1" Ball

The RAM-B-238U consists of a 1" diameter rubber ball and a 2.43" x 1.31" diamond shaped base. The base has two holes 1.912" from center to center, matches the industry standard AMPS hole pattern and will connect to a large variety of RAM Mount and third party cradles.

Part Number: RAM-B-238U

Material: Powder Coated Marine Grade Aluminum (Available in Composite).

Ball Size: 1" Rubber Ball



RAM-ROD™ Flush Base for Spline Posts

The RAM-114FMU has 4 mounting holes and a socket compatible with RAM-ROD™ and RAM-TUBE™ holders with a spline post.

Part Number: RAM-114FMU **Material: High Strength Composite**

Ball Size: N/A






The RAP-387BU includes the RAM® Adapt-A-Post™ with three pin lock mounting base options to accommodate a variety of mounting locations on vour kavak. Includes a round 2.50" diameter mounting base, a rectangle 2" x 1.68" mounting base and a low-profile diamond shaped base. Select the mounting base option that works best in your rigging scenario.

Part Number: RAP-387BU

Material: High Strength Composite

Ball Size: N/A



RAM® Flexible Adhesive Base with 1" Ball



The RAP-B-378U consists of a 2.5" round, flexible composite base with a 1" ball, double-sided adhesive PSA stick pad and sealed alcohol prep pad. This base is ideal for mounting any light weight device without the need to drill holes. Works on flat and curved surfaces with or without texture.

Part Number: RAP-B-378U **Material: High Strength Composite**

Ball Size: 1" Rubber Ball



Included base mounting options





RAM® Mount Wedge Adapter with 1.5" Diameter Ball for Flush Mount & Tube Rod Holders

The RAP-354-162U wedge adapter base expands to accommodate openings with an inner diameter of 1 1/2" to 1 7/8". Once installed, you have the perfect way to mount anything from RAM Rod holders, Cup Holders, Cameras, Fishfinders, and much more. Whether you are trying to get your rod and reel up off the deck to avoid salt spray, need more versatility in rod holder placement, or simply need another mounting position and don't want to drill holes, this is your perfect solution.

Part Number: RAP-354-162U Material: High Strength Composite

Ball Size: 1.5" Rubber Ball (available with 1" ball)



RAM-ROD™ Combination Bulkhead/Flat Surface Mounting Base with Release Plunger for Spline Posts

The combination bulkhead/flat surface mounting base can be installed on a flat surface such as the deck or a vertical surface. This mounting base features a locking mechanism which requires the release of a plunger to remove the rod holder. Compatible with RAM post and spline rod holders and RAM wedge mount ball adapters.

Part Number: RAM-114BMPU Material: High Strength Composite

Available as standard bulkhead base for spline posts



RAM-ROD™ Compact Round Flush Base for Spline Posts

The RAM-114FMTU consists of a round flush mounting base and a socket compatible with RAM-ROD™ and RAM-TUBE™ holders with a spline post. Designed to accommodate gunwales up to two inches thick, and seat with no visible hardware, this product is ideally suited to a wide variety of applications. This mounting base is ideal for kayaks and water craft with limited mounting space. Includes a rubber cap for sealing from water when not in use, the included nylon threaded cap seals the bottom.

Part Number: RAM-114FMTU Material: High Strength Composite

Ball Size: N/A



The RAP-B-397-2U includes a 1" ball which can be used to mount a variety of products utilizing RAM's vast selection of mounting solutions. Attach your GoPro Camera, Smartphone, RAM AQUA BOX® Pro or similar light weight device on almost any flat surfaces and square rails.

Part Number: RAP-B-397-2U

Available with small clamp (P/N RAP-B-397-1U)

Material: High Strength Composite

Ball Size: 1"

Clamping Dimensions for Medium Tough-Clamp™:

- 1. Flat surfaces and square rails from 0" to 1.75" thick
- 2. Round rails from 0.75" to 1.125" OD

Clamping Dimensions for Small Tough-Clamp™:

- 1. Flat surfaces and square rails from 0" to 1" thick
- 2. Round rails from 0.25" to 0.75" 0D



Medium Tough-Clamp™ with X-Grip® Smartphone Mount

RAM® Press-N-Lock™ Base with 18" Long Tube and 1.5" Diameter Ball

Take things to a whole new level! If you're tired of the limitations, the new RAM Press-N-Lock™ is what you've been looking for. Instantly convert a flush mount rod holder or tube rod holder into a mounting platform with a 1.5" RAM ball without the need for tools or drilling holes in your boat. The Press-N-Lock™ is ideal for mounting cameras, rod holders and almost anything mounted on a 1.5" RAM ball.

Part Number: RAP-385-18U

Material: High Strength Composite and Rubber

Ball Size: 1.5" Rubber Ball

Features:

- 1. Quick release and tool-less installation
- 2. High strength materials ensure product longevity
- 3. No drilling necessary
- 4. Compatible with most factory flush mount rod holders
- 5. Unique friction squeeze and locking mechanism
- **6. Lifetime warranty**

Tube Length: 18"

Compatible Flush Mount Inner Diameter Tube:

1 1/2" to 1 7/8"



RAM® Hobie/Scotty Wedge Base with 1" Ball



The RAP-B-354U Wedge Base expands to accommodate holes from 7/8"- 1" diameter and locks in tight. Once installed, you have the perfect way to mount anything from RAM Rod holders, GPS, Cell Phone, Cup Holder, Fishfinder, or Flash Light which can all be supported and perfectly positioned using this great product.

Compatible With:

Scotty[™] bases, Hobie Kayaks with sail mount ports 7/8"- 1" diameter

Part Number: RAP-B-354U

Material: High Strength Composite

Ball Size: Available with 1.5" ball P/N RAP-354U

Available option for RAM/Attwood and Fish-On (P/N RAP-B-354-75U and RAP-354-75U)



MOUNTING BASE OPTIONS

RAM® Strap Base™

RAM® offers the widest selection of fishing accessories to adapt to a wide range of fishing scenarios. For inflatable personal fishing pontoon style craft, the RAM Strap Base $^{\text{TM}}$ is the ideal universal mounting solution. Using straps to secure the RAM Strap Base $^{\text{TM}}$ to the right or left side inflatable pontoon portion of the boat add a RAM ball base to easily mount a fishing rod holder, POV camera, RAM Aqua Box Pro^{TM} and much more.

Part Numbers: RAP-399U, RAP-B-399U, RAP-399BU

Material: High Strength Composite Ball Size: 1" Rubber Ball (Available

with 1.5" ball)



RAM® Bond-A-Base™ Mounting Accessories to Secure Your Gear

RAM® offers the widest selection of fishing accessories to adapt to a wide range of fishing scenarios. For inflatable rafts, boats, SUPs and Kayaks, the RAM BOND-A-BASE™ is the ideal universal mounting solution. Using marine adhesive glue, bond the flexible BOND-A-BASE™ to boat materials such as PVC and Hypalon. Add a RAM ball base or post/spline mount to the BOND-A-BASE™ and mount a fishing rod holder, POV camera, RAM Aqua Box Pro™ and much more.

Part Numbers: RAP-398-BLKU (BLACK), RAP-398-GRYU (GREY)

Material: PVC Ball Size: N/A







MOUNTING TRACK SYSTEMS



RAM® 1.5" Ball Quick Release Track Base

Designed to accommodate all kayak tracks, as well as common track systems, engage and fasten this base to your existing track system or many other's including SlideTrax and the common T-Track. With a quick turn of the ball the base will slide along the track, giving you ultimate flexibility in repositioning your rod holder. A necessity for the all fishing enthusiasts, the RAM Quick Release Track Base is certain to create more mounting options or access on whatever you choose to take to the water. Fits a track dimensional range of .250" min to .562" max.

Compatible Tracks: Wilderness Systems SlideTrax, Most Common T-Tracks, Scotty Slide Track, & Many More!

Part Number: RAP-383U

Material: High Strength Composite

Ball Size: 1.5" Rubber Ball (Available with a 1" ball Part Number RAP-B-383U)





RAM® Adapt-A-Post™ Quick Release Track Base

The RAM Adapt-A-Post™ Quick Release Track base in available to mount the full line of RAM Post and Spline rod holders, for your heavier fishing rod set-ups. Designed to accommodate most kayak tracks, quickly fasten and adjust the base to your existing track system or add a track system to your kayak set up. Popular tracks include Wilderness Systems SlideTrax and common T-Slot Track Systems. To adjust, simply depress the release buttons and turn the Adapt-A-Post™ counter-clockwise. The base will slide along the track, giving you the ultimate flexibility in repositioning your rod holder or mounted device. The RAM Quick Release Track base can be installed at any point along the track without the need to feed in from one end of the track. A necessity for all fishing enthusiasts, the RAM Quick Release Track Base is certain to more mounting options on whatever you take on the water. Fits a track dimensional range of .250" min to .562" max.

Compatible Tracks: Wilderness Systems SlideTrax, Most Common T-Tracks, Scotty Slide Track, & Many More!

Part Number: RAP-383-AAPU Material: High Strength Composite





MOUNTING TRACK SYSTEMS



RAM® Adapt-A-Post™ Side Track Base

The Adapt-A-Post™ Side Track Base consists of a t-bolt, ratchet tooth and groove composition and female post spline hole. With a turn of the knob you can quickly fasten, adjust or remove the base to your existing track system. The ratchet tooth and groove composition enables you to slide and relocate the mount along the track; it can also rotate 360 degrees around, parallel to the track. The female post spline hole is compatible with many RAM Rod/Tube holders, along with 3rd party holders. Pressing of the side button, located on the right side of the image, you can quickly engage or release your holder from the base. Fits a track dimensional range of .250" min to .562" max.

Part Number: RAP-AAPRU

Material: High Strength Composite

Ball Size: N/A

RAM® 1.5" Ball Side Track Base

The Ball Side Track Base consists of a t-bolt, ratchet tooth and groove composition and 1.5" rubber ball. With a turn of the knob you can quickly fasten, adjust or remove the base to your existing track system. The ratchet tooth and groove composition enables you to slide and relocate the mount along the track; it can also rotate 360 degrees around, parallel to the track. The patented rubber ball design creates friction; this stabilizing the entire mount, along with dampening shock and vibration. Fits a track dimensional range of .250" min to .562" max.

Part Number: RAP-354-AAPRU Material: High Strength Composite

Ball Size: 1.5"



Universal, Fits Most Tracks Including:

- Wilderness Systems SlideTrax
- Most Common T-Tracks
- Scotty Slide Track
- Many More!



RAM® Adapt-A-Post™ Side Track Base with RAM Tube Jr.™







3/4" Schedule 80 PVC Pipe



G or B











RAM Mount high strength composite black PVC pipe Available in 2", 4", 6" 8", 12" and 18" lengths

Part Numbers: RAP-PP-1118 (18" Black PVC Pipe)
RAP-PP-1112 (12" Black PVC Pipe)
RAP-PP-1108 (8" Black PVC Pipe)
RAP-PP-1106 (6" Black PVC Pipe)
RAP-PP-1104 (4" Black PVC Pipe)

RAP-PP-1104 (4 Black PVC Pipe)

H

Product Shown: RAP-PP-1106



Product Shown: RAP-PP-1102

Material: High Strength Composite Ball Size: N/A

BUILD YOUR OWN SOLUTION



RAM® Female PVC Pipe Base with Post and Spline

The RAP-114-PSPU is designed to connect to a RAM PVC Pipe converting it to a RAM post and spline male.

Part Number: RAP-114-PSPU Material: High Strength Composite

Ball Size: N/A



The RAP-AAP-PPU is designed to connect to a RAM PVC Pipe converting it to a RAM post and spline female.

Part Number: RAP-AAP-PPU Material: High Strength Composite

Ball Size: N/A



Adaptor- RAM® Male- 3/4 PVC Pipe Female

The RAP-PPA-MRF75 is designed to connect to a standard 3/4" PVC Pipe converting it to a male RAM PVC pipe.

Part Number: RAP-PPA-MRF75 Material: High Strength Composite

Ball Size: N/A

Also available Adaptor- RAM Female - 3/4 PVC Pipe Male (P/N RAP-PPA-FRM75)

The RAP-PPA-FRM75 is designed to connect to a RAM PVC Pipe converting it to a standard 3/4" male PVC pipe.

RAP-PPA-FRM75



Adaptor- RAM® Male - 3/4 PVC Pipe Male

The RAP-PPA-MRM75 adapts from a male RAM PVC pipe to a standard 3/4" male PVC pipe.

Part Number: RAP-PPA-MRM75 Material: High Strength Composite

Ball Size: N/A

Also available Adaptor- RAM Female - 3/4 PVC Pipe Female (P/N RAP-PPA-FRF75)

The RAP-PPA-FRF75 adapts from a female RAM PVC pipe to a standard female 3/4" PVC pipe.







RAM® Female Pipe Base With 1.5" BALL

The RAP-294U is designed to connect a 1.5" RAM ball to a RAM PVC pipe.

Part Number: RAP-294U

Material: High Strength Composite

Ball Size: 1.5"

Also available RAM Female Pipe Base with 1" Ball (P/N RAP-B-294U)









RAM-TUBE™ 2008 Fishing Rod Holder with Round Flat Surface Base

The RAP-119U consists of the RAM-TUBE™ 2008 fishing rod holder and 2.5" diameter round base with a variety of mounting holes Offering the patented RAM rubber ball and socket feature, you can rotate the rod holder 360 degrees, while tilting the holder forward and back for the optimum angle. The RAM-TUBE™ 2008 tube integrates the rod holder with a self draining and quick to access tube for the butt of most any fishing rod. The tube is made of extremely durable composite. Ideally suited for anything from Kayaks to Tournament boats, this compact and simple design is ready for your next day on the water.

Part Number: RAP-119U

Material: High Strength Composite and Powder Coated Marine Grade Aluminum.

RAM-Tube™ available in Marine Grade Aluminum P/N RAM-119.

RAM® Tough-Tube™ Rod Holder

The RAM Tough-Tube™ Fishing Rod Holder with Combination Bulkhead/Flat Surface Base and Plunger. The combination bulkhead/flat surface mounting base can be installed on a flat surface such as the deck or on a vertical surface. This mounting base features a locking mechanism which requires the release of a plunger to remove the rod holder. Ideal for heavy duty trolling applications.

Part Number: RAP-394-SSBMPU Material: High Strength Composite



RALMA

RAM-TUBE™ 2000 Holder with RAM-ROD™ Revolution Ratchet/Socket System and Round Flat Surface Base

The RAM-301-RBU features the RAM-TUBE™ 2008 fishing rod holder, RAM-ROD™ Revolution ratchet arm with single open socket and 2.5" diameter round base with 1.5" ball. Combining the patented RAM rubber ball and socket system with a ratcheting feature; this rod holder has almost infinite adjustability and configuration options. Easily collapse the rod holder down on the deck for clearing your casting path or articulate over the water, and out of the boat or kayak. The tube holder integrates a self-draining feature and is a quick to access for the butt of most any fishing rod. The tube is made of extremely durable composites. Ideally suited for anything from Kayaks to Tournament boats, this compact and simple design is ready for your next day on the water.

Part Number: RAM-301-RBU

Material: High Strength Composite and Powder Coated Marine Grade Aluminum

RAM-TUBE™ 2000 Holder with Flush Mounting Base

The RAM-301-FU consists of the RAM-TUBE™ 2000 fishing rod holder, 6" long ratchet spline post arm and flush mounting base. The ratcheting feature allows for the tube to tilt forward and back for optimum angles. Ideally suited for anything from Kayaks to Tournament boats, this compact and simply design is ready for your next day on the water.

Part Number: RAM-301-FU

Material: High Strength Composite.



* Our product line is constantly evolving! Don't see what you're looking for? Visit www.rammount.com to view additional options!

ROD HOLDERS



RAM® TUBE JR.™

Our latest entry into our diverse fishing rod holder line of products is also one of the most innovative. The RAM Tube Jr. works with right or left handed configurations, and is compatible with spinning, casting and level wind reels. Ideally suited for a wide range of applications and fishing vessels, this rod holder is quickly becoming known as the most versatile rod holder on the market. Available as a complete kit with mounting base, or separately to add to an existing set-up, this rod holder will be a welcome addition to any angler's boat or kayak.

UNIQUE FEATURES:

- Compatible with spinning, casting and level wind reels
- Compatible with left-handed and right-handed reels
- Quick removal of rod and reel
- High strength materials ensure product longevity
- Unique design features lock each reel type in the rod holder, while still allowing for quick removal
- Position spinning reel to the side or under RAM Tube Jr. depending on rod holder placement
- Versatile design will work for virtually all fishing scenarios

Works with Spinning Reels



Limited lifetime warranty

Made in the USA!



RAM® Tube Jr. The Fishing Rod Holder with RAM-ROD The Revolution Ratchet/Socket System and Round Base

Ideally suited for a wide range of applications and fishing vessels, this rod holder is quickly becoming known as the most versatile rod holder on the market. This configuration includes the RAM-ROD™ Revolution ratchet arm with single open socket and 2.5" diameter round base with 1.5" ball. Combining the patented RAM rubber ball and socket system with a ratcheting feature; this rod holder has almost infinite adjustability and configuration options. Easily collapse the rod holder down on the deck for clearing your casting path or articulate over the water, and out of the boat or kayak. Rod holder doubles as a stake out pole holder.

Part Number: RAP-390-RBU Material: High Strength Composite.

The Patented RAM Tube Jr.™ works with spinning, bait casting and level wind reels!

RAM Tube Jr.™ Fishing Rod Holder with 4" Length Spline Post, Combination Bulkhead/Flat Surface Base & Plunger

Ideally suited for a wide range of applications and fishing vessels, this rod holder is quickly becoming known as the most versatile rod holder on the market. This configuration includes a 4"post with the combination bulkhead/flat surface mounting base which can be installed on a flat surface such as the deck or on a vertical surface. Mounting base features a locking feature which requires the release of a plunger to remove the rod holder.

Part Number: RAP-390-SBMPU Material: High Strength Composite.



"Jackson Kayak believes in smart, differentiated, quality, purpose driven designs. When it came to working with a USA Made OEM partner who shared those philosophies to help us solve problems and deliver solutions, RAM Mounting Systems was an obvious choice. Whether integration of our current technologies and standard catalog items, or development of custom solutions, RAM has consistently proven itself as a key strategic partner."

Damon Bungard, Product Manager, Jackson Kayak

ROD HOLDERS





RAM-ROD™ REVOLUTION™


Unlike anything you've seen before, and performance beyond your expectations the RAM-ROD™ Revolution™ is another great product for "Pros and Joes" alike. Integrating two sought after features into a single system makes this new Rod Holder versatile to the extreme. Offering not only the patented RAM Rubber Ball and Socket Feature, but a ratcheting feature as well, there is literally no limit to where this holder can be put or how it can be fished. With RAM, you're never limited by your mounting equipment, only your imagination. No matter whether you're on the water to release stress, or gain tournament dollars, RAM Rod Holders only add to your success!

UNIQUE FEATURES:

- Patented, innovative design incorporates RAM ball and socket with ratcheting feature
- Simple and easy to adjust
- 360° rod holder rotation
- Can be collapsed to lay flat on boat, ideal for stowing while not in use or for rod storage while paddling
- Compatible with a variety of RAM Rod holders
- Manufactured from high strength composites and corrosion resistant stainless steel hardware

Grab the road and set the hook in one seamless motion with its patent-pending, spring loaded design.

Holds rods tightly and securely through rough surf and fast trolling. Simple, easy tilt adjustment and 360° rod holder rotation. High strength composite construction with stainless steel hardware. Great for use in both fresh water and salt water applications.



RAM-ROD™ 2007 Fishing Rod Holder with Rectangle Flat Surface Base

The RAM-ROD™ 2007 rod holder is one of the most popular rod holders for the kayak angler due to its simplicity and adjustability. Utilizing the RAM patented 1.5" ball, you can rotate and adjust the rod holder almost infinitely making this rod holder ideal for kayak fishing. The ball and socket enable fine adjustment without the need to loosen a knob which is ideal for making small adjustments as your fishing scenario changes throughout the day. Includes 1.5" ball with a 2" X 2.5" flat surface mounting base.

Part Number: RAP-340

Material: High Strength Composite.



RAP-340 Shown on Kavak

RAM-ROD™ 2007 Jr. Fly Rod Holder with Rectangle Flat Surface Base

The RAM-ROD $^{\text{TM}}$ 2007 Fly Rod Jr. holder is one of the most popular rod holders for the kayak angler due to its simplicity and adjustability. Utilizing the RAM patented 1.5" ball, you can rotate and adjust the rod holder almost infinitely making this rod holder ideal for kayak fishing. This rod holder is designed for use with fly rods and reels. The ball and socket enable fine adjustment without the need to loosen a knob which is ideal for making small adjustments as your fishing scenario changes throughout the day. Includes 1.5" ball with a 2" X 2.5" flat surface mounting base.





RAM-Rod™ 2000 Fishing Rod Holder with Double Socket Arm and Round Flat Surface Base

The RAM-ROD™ 2000 fishing rod holder is RAM's original rod holder. This unique design offers quick removal of the rod when a fish is on, and features a securing flip-over bail for rod security while trolling or for use as rod storage. Utilizing two RAM patented 1.5" balls, this rod holder offers the ultimate in adjustability and versatility. Ideally suited for kayaks or traditional fishing vessels, this rod holder puts the rod and reel where you need it. Kit includes a 1.5" ball with a 2.5" dia. mounting base.

Part Number: RAM-117U

Material: High Strength Composite and Powder Coated Marine Grade Aluminum

ROD HOLDERS



RAM-ROD™ LIGHT-SPEED™

The RAM-ROD™ Light-Speed™ is another innovative product in RAM's long list of high quality, industry leading fishing products. Ideally suited for spinning reels and bait casting reels, the Light-Speed rod holder provides smooth action when inserting and removing the fishing rod, yet holds firm in rough water or while trolling. The spring loaded design enables rapid removal of the rod and reel when a fish is on, and offers easy placement of the rod in the rod holder.

UNIQUE FEATURES:

- Unique patent pending design offers quick and simple removal and replacement of rod.
- Simple and easy adjustment allows for infinite operating positions, enabling the angler to create a custom configuration for a specific fishing scenario.
- Innovative design integrates removing the rod from the rod holder and setting the hook seamlessly, equaling less missed fish strikes.
- Integrated rod lock secures fishing rod and reel for trolling applications and for rod storage.





RAM-ROD™ Light-Speed™ Rod Holder with 4" Long Spline Post and Bulkhead/ Rail/Flat Surface Mounting Base

The RAP-370-R consists of the RAM-ROD™ Light-Speed™ fishing rod holder, 4" long spline post and combination bulkhead/rail/flat surface base with plunger for spline posts. Designed to mount vertically or horizontally in your boat, you can rotate the rod holder 360 degrees, while tilting the rod holder forward and back for the optimum fishing angle. The RAM-ROD™ Light-Speed™ is another innovative product in RAM's long list of high quality, industry leading fishing products. Ideally suited for spinning reels and bait casting reels, the Light-Speed rod holder provides smooth action when inserting and removing the fishing rod, yet holds firm in rough water or while trolling. The spring loaded design enables rapid removal of the rod and reel when a fish is on, and offers easy placement of the rod in the rod holder. The combination bulkhead/rail/flat surface mounting base can be installed on a flat surface such as the deck or on a vertical surface. This mounting base features a locking feature which requires the release of a plunger to remove the rod holder. Kit includes adapter for mounting to round rails from .75" to 1" in diameter.

Part Number: RAP-370-R

Material: High Strength Composite.

RAM-ROD $^{\mathsf{TM}}$ Light-Speed $^{\mathsf{TM}}$ Rod Holder with 4" Long Spline Post and Flush Mounting Base

The RAP-370-F consists of the RAM-ROD™ Light-Speed™ fishing rod holder, 4" long spline post and flush mounting base. Designed to mount horizontally in your boat, you can rotate the rod holder 360 degrees, while tilting the rod holder forward and back for the optimum fishing angle. The RAM-ROD™ Light-Speed™ is another innovative product in RAM's long list of high quality, industry leading fishing products. Ideally suited for spinning reels and bait casting reels, the Light-Speed rod holder provides smooth action when inserting and removing the fishing rod, yet holds firm in rough water or while trolling. The spring loaded design enables rapid removal of the rod and reel when a fish is on, and offers easy placement of the rod in the rod holder

Part Number: RAP-370-F



RAM-ROD™ Light-Speed™ Rod Holder with Bulkhead/Flat Surface Mounting Base

The RAP-370-B consists of the RAM-ROD™ Light-Speed™ fishing rod holder, 4" long spline post and combination bulkhead/flat surface base with plunger for spline posts. Designed to mount vertically or horizontally in your boat, you can rotate the rod holder 360 degrees, while tilting the rod holder forward and back for the optimum fishing angle. The RAM-ROD™ Light-Speed™ is another innovative product in RAM's long list of high quality, industry leading fishing products. Ideally suited for spinning reels and bait casting reels, the Light-Speed rod holder provides smooth action when inserting and removing the fishing rod, yet holds firm in rough water or while trolling. The spring loaded design enables rapid removal of the rod and reel when a fish is on, and offers easy placement of the rod in the rod holder. The combination bulkhead/flat surface mounting base can be installed on a flat surface such as the deck or on a vertical surface. This mounting base features a locking feature which requires the release of a plunger to remove the rod holder.

Part Number: RAP-370-B

Material: High Strength Composite.

HANDHELD MOUNTS

Boaters everywhere are discovering the advantages of RAM® Mount electronic mounting systems. For Fishfinders, chartplotters, GPS, and much more, sturdy RAM® rubber ball mounts let you reposition the unit at will to accommodate any viewing angle or configuration. RAM Mounts hold your sensitive electronics steady all day long, yet you can easily remove the unit for safe keeping at day's end. All styles feature high strength composite and marine grade powder coated aluminum construction with stainless steel hardware. Easy to install and configure for your specific application.





RAM® Composite Flat Surface Mount for Garmin Colorado

Simply choose your preferred mounting location and the possibilities become endless with the Garmin Flat Surface Mount. Rubber ball and socket technology allows for almost infinite adjustment and perfect viewing angles. High quality composite materials ensure your GPS is safe, secure, and within easy reach, RAM's patented design also dampens shock and vibration helping to extend the life of your mobile device. Cutting edge products like the Garmin Colorado deserve a cutting edge mount and RAM delivers.

Part Number: RAP-B-138-GA27 Material: High Strength Composite.

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Adhesive, Strap, U-Bolt and more.

Compatible Models: Colorado, 300, 400c, 400i & 400t

RAM® Composite Flat Surface Mount for Garmin Oregon

The RAP-B-138-GA31 consists of a 2.5" diameter round base with the universal AMPS hole pattern, double socket arm, diamond adapter base and high strength composite cradle. The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles.

Part Number: RAP-B-138-GA31 Material: High Strength Composite.

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Adhesive, Strap, U-Bolt and more. Compatible Models: Oregon 200, 300, 400, 450, 550, 600 & 650, Approach G5.



RAM® High Strength Composite Flat Surface Mount for Garmin Montana

The RAP-B-138-GA46 consists of a double socket arm, 2.5" diameter round base with the universal AMPS hole pattern, diamond adapter base and custom high strength composite cradle for the Garmin Montana 600 series. Features a 1" diameter patented rubber ball and socket system with adjustment points at the base and cradle. With a twist of the arm knob, you can move the Garmin Montana flat surface mount to your optimum viewing position.

Part Number: RAP-B-138-GA46 Material: High Strength Composite.

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Adhesive, Strap, U-Bolt and more.

Compatible Models: Montana 600, 650 & 650t

RAM® Composite Flat Surface Mount for Garmin eTrex

The RAP-B-138-GA48 consists of a double socket arm, 2.5" diameter round base with the universal AMPS hole pattern, diamond adapter base and custom high strength composite cradle for the Garmin eTrex 10, 20 a P-B-138-GA48

Part Number: RAP-B-138-GA48 Material: High Strength Composite.

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Adhesive, Strap, U-Bolt and more.

Compatible Mounts: eTrex 10, 20 & 30





^{*} Our product line is constantly evolving! Don't see what you're looking for? Visit www.rammount.com to view additional options!



RAM® Composite Flat Surface Mount for the Garmin GPSMAP 78 Series

The RAP-B-138-GA40 consists of a double socket arm, 2.5" diameter round base with the universal AMPS hole pattern, diamond adapter base and custom high strength composite cradle for the Garmin GPSMAP® 78 series. Designed into the mount is a 1" diameter patented rubber ball and socket system with adjustment points at the base and cradle. With a twist of the arm knob, you can move the flat surface GPSMAP® mount to your optimum viewing position.

Part Number: RAP-B-138-GA40 Material: High Strength Composite.

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Adhesive, Strap, U-Bolt.

Compatible Models: GPSMAP 78, 78s & 78sc

RAM® Composite Flat Surface Mount for the Garmin Rino

The RAP-B-138-GA47 consists of a double socket arm, 2.5" diameter round base with the universal AMPS hole pattern, diamond adapter base and custom high strength composite cradle for the Garmin Rino 600 series. Designed into the mount is a 1" diameter patented rubber ball and socket system with adjustment points at the base and cradle. With a twist of the arm knob, you can move the Garmin Rino flat surface mount to your optimum viewing position.

Part Number: RAP-B-138-GA47 Material: High Strength Composite.

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Adhesive, Strap, U-Bolt.

Compatible Models: Rino 610, 650 & 655t





RAM® Composite Flat Surface Mount for the Garmin GPSMAP 76 & 96 Series

The RAP-B-138-GA14 consists of a double socket arm, 2.5" diameter round base with the universal AMPS hole pattern, diamond adapter base and custom high strength composite cradle for the Garmin GPSMAP® 76 series. Designed into the mount is a 1" diameter patented rubber ball and socket system with adjustment points at the base and cradle. With a twist of the arm knob, you can move the flat surface GPSMAP® mount to your optimum viewing position.

Part Number: RAP-B-138-GA14 Material: High Strength Composite.

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Adhesive, Strap, U-Bolt. Compatible Models: GPSMAP 76C, 76CS, 76CSx, 76Cx, 96 & 96C

RAM® Composite Flat Surface Mount for the Garmin eTrex

The RAP-B-138-GA16 consists of a double socket arm, 2.5" diameter round base with the universal AMPS hole pattern, diamond adapter base and custom high strength composite cradle for the Garmin eTrex series. Designed into the mount is a 1" diameter patented rubber ball and socket system with adjustment points at the base and cradle. With a twist of the arm knob, you can move the Garmin eTrex flat surface mount to your optimum viewing position.

Part Number: RAP-B-138-GA16 Material: High Strength Composite.

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Adhesive, Strap, U-Bolt.

Compatible Models: eTrex Legend C, Legend Cx, Legend HCx, Venture Cx, Venture HC, Vista C, Vista Cx & Vista HCx



24



RAM® Flat Surface Mount for the SPOT GEN3™ Satellite GPS Messenger

Simply choose your preferred mounting location and the possibilities become endless with the SPOT Satellite GPS Messenger Flat Surface Mount. Rubber ball and socket technology allows for almost infinite adjustment and perfect viewing angles. High quality materials insure your SPOT Satellite GPS Messenger is safe, secure, and within easy reach. RAM's patented design also dampens shock and vibration helping to extend the life of your mobile device.

Part Number: RAM-B-138-SP04 Material: High Strength Composite.

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Adhesive, Strap, U-Bolt. Cradles available for the Spot GEN 1/2 and Spot Connect.

RAM® Composite Flat Surface Mount with Universal Finger-Grip™ Phone/Radio Holder

The RAM Composite Universal Finger Grip™ Holder is designed to hold a wide variety of smartphones and electronic devices. The holder comes with (3 sets) of four flexible rubber coated fingers placed along sides to grip your device. Upper and lower supports included.

Part Number: RAP-B-138-UN4 Material: High Strength Composite.

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail, Adhesive.

This mount is designed to hold the following devices:

Cell Phones 2-Way Radios GPS Devices and Much More! Height Dimensions:
Minimum with Top and Bottom Plates: 5.25"
Maximum with Top and Bottom Plates: 6.0"
The top and bottom plates can be removed for larger devices.

Using Short Arm Side Clamps: Maximum Depth: 0.75" Minimum Width: 1.25" Maximum Width: 3.0"

Using Medium Arm Side Clamps: Maximum Depth: 1.25" Minimum Width: 1.5" Maximum Width: 3.5"

Using Long Arm Side Clamps: Maximum Depth: 1.6" Minimum Width: 2.25" Maximum Width: 3.5"



"RAM has been one of our key suppliers for years. The ball & socket system for rod holders and other paddling accessories continues to gain strength in our Harmony line. We appreciate the business partnership and good customer service...and look forward to more great innovation!"

Jonda Mason, Product Manager, Confluence Watersports



RAM® 1" Ball Mount for Lowrance Elite-4 & Mark-4 Series Fishfinders

The RAP-B-101-L011 consists of a 2.5" diameter round base with the universal AMPS hole pattern, double socket arm and adapter base that inserts directly to the back of Lowrance Elite-4 and Mark-4 Fishfinders. The adapter serves as a quick release mechanism, allowing you to remove or transfer your Fishfinder in seconds. Designed into the mount is a 1" diameter patented rubber ball and socket system with adjustment points at both socket ends of the arm; this with RAM's rubber ball and socket technology allows for almost infinite adjustment and perfect viewing angles.

Part Number: RAP-B-101-L011

Material: High Strength Composite. (Available in Marine Grade Aluminum)

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail.



Raymarine Dragonfly Square Base Drill-Down Mount

The drill-down mount consists of a composite 2" x 1.7" square base that contains the universal AMPs hole pattern, double socket arm and base adapter for the Raymarine® Dragonfly™.

Back View

Part Numbers: RAM-B-202U-RYM1, RAP-B-201U, RAP-B-347U

Material: High Strength Composite & Powder Coated Marine Grade Aluminum

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail.



The RAP-101U-G4 consists of a 2.5" diameter round base with the universal AMPS hole pattern, double socket arm and round adapter base that attaches directly to the factory mounting bracket of the Garmin echo™. Designed into the mount is a 1.5" diameter patented rubber ball and socket system with adjustment points at both socket ends of the arm; this with RAM's rubber ball and socket technology allows for almost infinite adjustment and perfect viewing angles. Included is hardware that is used to attach the Garmin echo™ to the RAM Mount.

Part Number: RAP-101U-G4

Material: High Strength Composite (Available in Powder Coated Marine Grade Aluminum).

Ball Size: 1.5" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail.



^{*} Our product line is constantly evolving! Don't see what you're looking for? Visit www.rammount.com to view additional options!

MARINE ELECTRONIC MOUNTS



Raymarine Dragonfly Track Base Mount

The track base mount consists of a quick release track base, double socket arm and base adapter for the Raymarine® Dragonfly™. The track base is designed to accommodate all kayak tracks, as well as common track systems, engage and fasten the base to your existing track system or many other's including, SlideTrax and the common T-Track.

Compatible Tracks:

Wilderness Systems SlideTrax, Most Common T-Tracks, Scotty Slide Track & Many More!

Part Numbers: RAM-B-202U-RYM1, RAP-B-201U, RAP-B-383U

Material: High Strength Composite & Powder Coated Marine Grade Aluminum

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail.

RAM® 1.5" Ball Composite Mount for Lowrance Elite-5 & Mark-5 Series Fishfinders

The RAP-101U-L011 consists of a 2.5" diameter round base that contains the universal AMPS hole pattern double socket arm and adapter base that inserts directly to the back of Lowrance Elite-5 and Mark-5 Fishfinders. The adapter serves as a quick release mechanism, allowing you to remove or transfer your Fishfinder in seconds. Designed into the mount is a 1.5" diameter patented rubber ball and socket system with adjustment points at both socket ends of the arm; this with RAM's rubber ball and socket technology allows for almost infinite adjustment and perfect viewing angles.

Part Number: RAP-101U-L011

Material: High Strength Composite and Powder Coated Marine Grade Aluminum.

Ball Size: 1.5" Rubber Ball

Available bases: Suction Cup. Flat Surface, Strap, U-Bolt, Track Rail.







RAM® 1.5" Diameter Ball Mount for Fishfinders

The RAM-111U consists of a 2.5" diameter round base that contains the universal AMPs hole pattern, standard length double socket arm and 6.25" x 2" rectangle base. The rectangle base contains different combinations of pre-drilled mounting holes which will match up to many electronic devices and mounts, including Marine GPS, CB Radios, Ham Radios, Gimbal Brackets and more.

The RAM-111U is compatible with all Lowrance Fishfinders and Garmin with gimbal style mounting bracket

Part Number: RAM-111U

Material: Powder Coated Marine Grade Aluminum (available in composite).

Ball Size: 1.5" (available with a 1" ball)

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail.

RAM® Composite Flat Surface Marine Electronic Mount for the Garmin echo 100, 150 & 300c "LIGHT USE"

The RAP-B-101U-G4 consists of a 2.5" diameter round base with the universal AMPS hole pattern, double socket arm and round adapter base that attaches directly to the factory mounting bracket of the Garmin echo™. Designed into the mount is a 1" diameter patented rubber ball and socket system with adjustment points at both socket ends of the arm; this with RAM's rubber ball and socket technology allows for almost infinite adjustment and perfect viewing angles. Included is hardware that is used to attach the Garmin echo™ to the RAM Mount.

Part Number: RAP-B-101U-G4

Material: High Strength Composite (Available in Powder Coated Marine Grade Aluminum).

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail.





$RAM_{\scriptsize \circledR}$ Mount for the Humminbird 100, 300, 500, 700 Series, Matrix Series and Lowrance Elite-5 Series

The RAM-B-107 consists of a 2.5" diameter round base with the universal AMPs hole pattern, double socket arm and connecting Humminbird/Apelco marine adapter base. The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles. The RAM-B-107 is a "LIGHT USE" mount, designed to hold smaller marine electronic devices.

Part Numbers: RAM-B-107

Material: Powder Coated Marine Grade Aluminum

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail.

RAM-B-107 In-Use



Before you catch a fish, secure your gear with RAM®!



29



TRANSDUCER MOUNTING

RAM® DEPLOYABLE TRANSDUCER WITH FLEX-ARM™ SYSTEM

RAM Transducer Arm Mount with 18" Rigid Aluminum Rod and 2.43" x 1.31" Diamond Base

The RAM-B-316-18-TRA1 enables the quick and effective deployment and retrieval of your transducer, while protecting your transducer from damage. Perfect for kayak applications, the transducer arm can quickly be retrieved if you enter shallow water or when beaching your kayak. The unique design provides a universal solution for virtually any kayak as well as any transducer.

Compatible Transducers:

The RAM transducer arm mount is compatible with all transducers that mount with a 1/4" screw.

Part Number: RAM-B-316-18-TRA1

Material: High Strength Composite and Aluminum

Ball Size: 1" Rubber Ball





Shown deployed

$RAM_{\scriptsize \textcircled{\tiny 18}}$ Transducer Arm Mount with Open Single Socket for the Lowrance StructureScan LSS-2/LSS-1

Compatible Transducers:

The RAM transducer arm mount is compatible the Lowrance StructureScan LSS-2 and LSS-1 Transducer

Part Number: RAM-B-316-18-TRA3-NB , RAP-B-383U Material: High Strength Composite and Aluminum

Ball Size: 1" Rubber Ball



RAM® Mounting Kit for the Hydrowave™ Control Unit & Speaker

Part Number: RAM-B-316-18-TRA2-NB, RAP-B-383U Part Number (Control Unit) RAP-B-102U-A Material: High Strength Composite and Aluminum

Ball Size: 1" Rubber Ball





"RAM Mounting Systems offer a variety of quality solutions for mounting various accessories to kayaks at competitive OEM pricing, and that is why Hobie Cat Company chooses to partner with them. The quality and functionality of RAM is top notch, and they are a great company to work with regarding co-marketing opportunities. RAM Mounting System's ball technology allows for ultimate adjustability and versatility. If you dream up a product idea, RAM is always willing to work with you and help make it a reality. Hobie Cat Company and RAM mounting Systems have worked together for years now and we've made it possible for people to have fun on the water and optimize and rig their kayaks for whatever sport they enjoy doing."

Morgan Promnitz, Fishing Product Manager, Hobie Cat Company







Available in 4 Popular Configurations!



Patent Pending



"Kayak Fishing is my life as a business and website owner, television host, athlete and personality.

I have to have the best products available to stand up to the demanding conditions I face. I abuse my gear and RAM consistently stands up to everything I throw at it."

Chad Hoover, Owner HOOK 1 and KayakBassFishing.com, Host Knot Right Kayak Fishing and Kayak Bassin, Author Kayak Bass Fishing

FEATURES:

- Magnetic surface for tools
- Customized mounting options
- Accessorize with phone, camera, drink cup mounts
- Multiple mounting options for boat and kayak
- High strength materials ensure product longevity
- Integrated features for hanging tools
- Easy removal and stowage
- Made in U.S.A.
- Lifetime warranty

^{*} Our product line is constantly evolving! Don't see what you're looking for? Visit www.rammount.com to view additional options!



$\text{RAM}_{\circledcirc}$ Stack-N-Stow $^{\intercal M}$ Bait Board with Ball and Socket Mount

The following configuration includes the RAM bait board, Revolution ratchet socket system and 1.5" RAM Tough-Ball $^{\mathsf{TM}}$. The Revolution serves as a swing arm, allowing you to reposition or rotate it away from your body; it also can easily be removed and stowed until your next fishing venture.

Part Numbers: RAP-395-PU, RAP-114-RBU, RAP-379U-252050-KAY1

Material: High strength composite

Ball Size: 1.5"

Accessories shown are not included.



RAM® STACK-N-STOW™ Bait Board with Combination Bulkhead Mount and Rail Adapter Kit

This configuration includes the RAM STACK-N-STOW™ Bait Board, 3" long spline post and combo deck/bulkhead mount with rail adapter kit. This solution is ideal for mounting the bait board to round rails from .75" to 1" either on a boat or kayak.

Part Numbers: RAP-395-RMU Material: High strength composite

Ball Size: N/A

Accessories shown are not included.

POPULAR ACCESSORIES

Universal X-Grip® Mount for Bait Boards



RAM-HOL-UN7BU + RAP-B-201U + RAP-395T-BBU

Wedge-Lock Drink Cup Holder



RAP-395W-132U

GoPro® Hero Camera Mount for Bait Boards



RAP-B-202U-GOP1 + RAP-B-201U + RAP-395T-BBU

34

STACK-N-STOW™ BAIT BOARD

RAM® Stack-N-Stow™ Bait Board with Track Mount

The following configuration includes the RAM bait board, 15" Adapt-A-Post[™] extension pole and Adapt-A-Post[™] track base. Designed to accommodate most kayak tracks, quickly fasten and adjust the track base to your existing track system or add a track system to your kayak set up. The extension pole accepts post spline arms, allowing for the attachment of rod holders, including the RAM Tube Jr.

Part Numbers: RAP-395U. RAP-114-EX12. RAP-AAPU

Material: High strength composite

Ball Size: N/A

Accessories shown are not included.



RAM® Stack-N-Stow™Bait Board with Post and **Spline Mount**

The following configuration includes the RAM bait board, adjustable Adapt-A-Post™ 16" extension arm and round flush base. The extension arm will lift the bait board off of the deck and enable ideal positioning in tight spaces such as on kayaks. The included quick release female post and spline adaptor are simple to engage and release; this making it easy to move your mount to various positions on your kayak, or for stowage.

Part Numbers: RAP-395-PU, RAP-114-APB3U, RAM-114FMTU

Material: High strength composite

Ball Size: N/A

Accessories shown are not included.

POPULAR ACCESSORIES



Garmin Oregon Series Mount for Bait Boards



RAM-HOL-GA31U+RAP-B-238U+RAP-B-201U+RAP-395T-BBU



RAP-395T-BCU

CAMERA MOUNTS





RAM® Tele-Mount™ Telescoping Camera Pole Kit with GoPro® Hero Adapter

The RAP-B-218-1-GOP1U consists of a female hole base with 1" ball, double socket arm and custom GoPro® Hero adapter. The female hole base will fit most common telescoping and extension poles. The GoPro® Hero adapter attaches directly to the under-side of the camera, replacing the factory mounting bracket.

Compatible GoPro® Cameras: HD HERO, HD HERO2, HD HERO3, HD HERO 960

Part Number: RAP-B-218-1-GOP1U Material: High Strength Composite

Ball Size: 1" Rubber Ball
Telescoping pole not included

RAM® Composite Flat Surface Mount with GoPro® Hero Adapter

The RAP-B-138-GOP1 consists of a 2.5" diameter round base with the universal AMPS hole pattern, standard size double socket arm and 1" diameter ball with GoPro® Hero adapter. The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles. The GoPro® Hero adapter attaches directly to the under-side of the camera, replacing the factory mounting bracket.

Compatible GoPro® Cameras: HD HERO, HD HERO2, HD HERO3, HD HERO 960

Part Number: RAP-B-138-GOP1 Material: High Strength Composite

Ball Size: 1" Rubber Ball



RAM® Quick Release Track Mount with GoPro® Hero Adapter

This mount consists of the RAP-B-202U-GOP1 custom GoPro® Hero adapter, the RAP-B-201U double socket arm for 1" ball bases and the RAP-B-383U 1" Ball Quick Release Track Base. Capture all of your shots with the ability to quickly change camera location from one side of the boat to the other.

Compatible GoPro® Cameras: HD HERO, HD HERO2, HD HERO3, HD HERO 960

Part Numbers: RAP-B-202U-GOP1, RAP-B-201U, RAP-B-383U

Material: High Strength Composite

Ball Size: 1" Rubber Ball





UNIVERSAL CAMERA MOUNTS



$RAM_{\scriptsize \circledR}$ 18" Long Extension Pole with 1" and 1.5" Single Open Sockets

The RAP-CB-201-18U consists of a long extension pole and 1" and 1.5" ball single open sockets. The socket ends can swivel 360 degrees; allowing you to rotate your camera adapter in any direction.

Dimensions:

Pole Length (Socket End to Socket End): 18"

Features

- 1. Extension poles are buoyant, will float if dropped in the water.
- 2. All components are high strength composite or stainless steel.
- 3. Light weight, easily adjustable and packable.
- 4. Modular system allows for infinite adjustment and configurations. Easily capture self-portrait images from water level, overhead shots and even underwater images of your latest catch.

Material:

High Strength Composite

Ball Size:

1" and 1.5" Rubber Ball

Attach either GoPro® specific adapter or universal adapter (RAP-B-366U).

Part Shown: RAP-B-202U-GOP1



Attach to 1.5" ball base on kayak (see available bases on pages 6-9).

UNIVERSAL CAMERA MOUNTS



RAM® Tele-Mount™ Telescoping Camera Pole Kit with 1/4"-20 Camera Threaded Adapter

The RAP-B-218-1-366U consists of a female hole base with 1" ball, double socket arm and 1" ball, and 1/4"-20 camera thread. The female hole base will fit most common telescoping and extension poles. The male 1/4"-20 threaded steel stud will connect to any standard female thread found on camcorders, digital cameras and POV cameras.

Compatible Cameras:

Contour Cameras, Drift Cameras, Gobandit Cameras, GoPro \circledR Cameras, Sony POV Cameras, XTC Cameras, and any other camera with a 1/4"-20 camera thread.

Part Number: RAP-B-218-1-366U Material: High Strength Composite Ball Size: 1" Rubber Ball

RAM® Flat Surface Mount with 1/4"-20 Camera Threaded Adapter

The flat surface mount consists of a 2.5" diameter round base with the universal AMPS hole pattern, standard length double socket arm, and 1/4"-20 X .25" threaded post with 1" ball. The flat surface mount is a drill-down mounting solution.

Part Numbers: RAP-B-379U-252025, RAM-B-103U Material: Powder Coated Marine Grade Aluminum

Ball Size: 1" Rubber Ball



RAM® Suction Cup Mount for Garmin VIRB®

The suction cup camera mount includes a 1" RAM ball with Garmin VIRB® Adaptor for mounting your camera to a 3.25" diameter suction cup base and standard length double socket arm. The double ball mount allows for almost infinite adjustment and perfect viewing angles. Simply attach the suction cup base to any non-porous surface for an easy and safe way to mount your camera.

Part Number:RAM-B-166-GA63U Material: Powder Coated Marine Grade Aluminum

Ball Size: 1" Rubber Ball







RAM-ROD™ 8" Post Extension Arm

Get your fishing rod closer to you, closer to the action, or simply out of the way with this extension from RAM. Rugged, high strength composite construction ensures years of performance on the water. The rod holder extender will lift your RAM-ROD™ holder up off of your deck and enable ideal positioning in tight spaces such as on kayaks. This extender is perfect for increasing the rod holder height when using a side mounted gunnel or transom mount.

Arm Length: 8"

Part Number: RAP-114-PAU

Attaches to all spline posts with male teeth pattern. Attaches to all rod/tube holders with female groove pattern.

Material: High Strength Composite

RAM-ROD™ Male Ratchet Adapter with 1.5" Ball

The RAM-ROD™ male ratchet adapter enables the direct attachment of a 1.5" RAM ball to any of RAM's many rod holders which use the tooth and groove system. The male ratchet ball adapter can attach directly to a rod holder extender enabling the attachment of a ball and socket rod holder at the end of a rod holder extender, offering the ultimate in rod holder functionality and adjustability.

Attaches to all rod/tube holders with female groove pattern. Ball attaches to all 1.5" sockets.

Part Number: RAM-114BTU **Material: High Strength Composite** Ball Size: 1.5" Rubber Ball





RAM-ROD™ Female Ratchet Adapter with 1.5" Ball

The RAM-ROD™ female ratchet adapter enables the direct attachment of a 1.5" RAM ball to any of RAM's many rod holders which use the tooth and groove system. The female groove ball adapter can attach directly to the rod holder extender, as well as the short and standard length rod holder spline posts. Ball attaches to all 1.5" sockets.

Attaches to all spline posts with male teeth pattern. Attaches to all 1.5" sockets.

Part Number: RAM-114BGU **Material: High Strength Composite Ball Size: 1.5" Rubber Ball**



The RAM-MARI-RIVET-4U consists of (4 qty) aluminum 1/8" pop rivets for blind mounting applications.

The RAM-MARI-NUT-4U consists of (4 qty) brass nuts with rubber expansion feature for blind mounting applications, includes mounting screws.







Grip Thickness: 1/16" to 1/4"

^{*} Our product line is constantly evolving! Don't see what you're looking for? Visit www.rammount.com to view additional options!

RAM® Adjustable Adapt-A-Post™ 16" Extension Arm


Get your fishing rod closer to you, closer to the action, or simply out of the way with this extension from RAM. Rugged, hight strength composite construction ensures years of performance on the water. The RAM Adjustable Adapt-A-Post™ Extension Arm will lift your RAM-ROD™ holder up off the deck and enable ideal positioning in tight spaces such as kayaks. The included quick release female post and spline adapter is simple to engage and release; making it easy to move your mount to various positions on your kayak, or for stowage.

Compatible with all RAM fishing rod holders and accessories using the post and spline interface, this extension option is a simple add-on that is sure to add increased functionality and versatility to your fishing setup.

Part Number: RAP-114-APB3U Material: High Strength Composite

Ball Size: N/A





Tube Holder RAP-390U



Versatility. That one word sums up what you get when you purchase RAM® products. For Kayaks, versatility is key since space is always at a premium. Whether it's to make some room or put your fishing rod within easy reach, the 15" pipe spline post for kayaks will do the trick. Getting your rod holder up high for stand up fishing is easy with this new product. The quick release female post and spline adapter is simple and easy to release. Building on an already impressive line of Kayak products, this extension option is a simple add-on that is sure to add more fun and comfort to your day on the water.



Tube Holder

RAM-301-NB



The new RAM® Flex Arm™ Mounting System provides you the secured, rugged connection that comes standard with owning a RAM Mount. Our characteristic of providing versatile mounting solutions has been taken to a new level with the inclusion of our signature aluminum flex rod. The 18" rigid, aluminum rod can be bent to position your device to its optimum viewing location. Maintain numerous positioning options with the adjustable, swiveling/swing technology of the flex rod mounting solutions. Whether you have a GoPro or POV camera, fishfinder, smartphone or tablet, choose the RAM flex rod and swing your device in front for optimal view or behind you out of your way. Available in 3 different configurations, choose from one of our high strength composite bases to secure the flex rod to the surface of your kayak, then attach your device specific cradle; creating the most versatile kayak mounting solution on the water.

RAM® Flex Arm™ Mounting System with Quick Release Post Spline Adapter, 18" Rigid Aluminum Rod and Single Socket Arm

The RAP-B-200-1-114P-18U consists of a post spline adapter, 18" rigid aluminum rod and single socket arm for 1" ball bases/adapters. The spline adapter is compatible with all RAM® post spline bases. The 18" rigid aluminum rod can be bent to position your device to its optimum viewing location. The single socket is compatible with all 1" ball bases and adapters.

Part Number: RAP-B-200-1-114P-18U

Material: High Strength Composite & Aluminum

Ball Size: 1"

Patented and Patent Pending (Aqua Box® not included)



Interchangeable post/base pinlock system (RAP-B-200-1-386-18U shown)



(RAP-B-200-TRA1-18U shown)



Quick release female post spline adapter





"Working with companies like RAM Mounting Systems, who share the same vision of creating innovative products that enhance their customer's experience, is invigorating. We inspire each other to create designs that move our industry forward!"

Shane Steffan, Product Management, Confluence Watersports











MOUNTABLE WEATHERPROOF SMARTPHONE PROTECTION



RAM® Flex Adhesive Mount with Sealed Enclosure AQUA BOX® Pro 20 i5 Case

The AQUA BOX $_{\odot}$ Pro 20 i5 is a unique patented PVC vinyl screen that flexes to allow you to easily operate your device screen and side buttons. The AQUA BOX $_{\odot}$ is a weatherproof enclosure that will ensure your phone is safe and dry, even if accidentally dropped into the water. The optically clear membrane provides the best tactile screen operation and viewing, giving you full access to send text messages, listen to music, take photos, capture videos or make calls. Compatible with a full line of RAM mounts, we guarantee the AQUA BOX $_{\odot}$ Pro 20 i5 to be the perfect mounting solution for your phone.

Part Numbers: RAM-HOL-AQ7-2-I5COU, RAP-B-138U

Material: High Strength Composite

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail, Adhesive.

Compatible Devices:

Apple iPhone 5 without Protective Case, Apple iPhone 5c without Protective Case, Apple iPhone 5s without Protective Case, All Phones within Case Internal Dimensions





RAM® Composite Flat Surface Mount with Sealed Enclosure Large Aqua Box® Pro 20

The RAP-B-138-AQ7-2 consists of a double socket arm, 2.5" diameter round base with the universal AMPS hole pattern, diamond adapter base and large AQUA BOX® Pro 20 case. The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; allowing for almost infinite adjustment and perfect viewing angles.

Internal Dimensions:

Fits Smart Phones Up To 5.38"(H) X 2.8"(W) X 0.55"(D) (depth will flex)

Part Number: RAP-B-138-AQ7-2

Material: High Strength Composite(Available in Powder Coated Marine Grade Aluminum).
Internal Dimensions: Fits Smart Phones Up To 5.38"(H) X 2.8"(W) X 0.55"(D) (depth will flex)

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail, Adhesive.

Full access to screen and side buttons!

Compatible Devices:

Apple iPhone 1st, 3rd and 4th Generation with or without Protective Case

Apple iPhone 5 with Protective Case

Apple iPod touch

Blackberry Phones

HTC Phones

LG Phones

Motorola Phones

Samsung Phones

All Phones within Case Internal Dimensions

RAM® Aqua Box® Pro 10

Compatible Devices:

Apple iPhone 4S without Protective Case Apple iPhone 4 without Protective Case Apple iPhone 3GS without Protective Case Apple iPhone 3G without Protective Case Apple iPhone without Protective Case Apple iPod touch without Protective Case



PATENTED & PATS. P

RAM-HOL-AQ7-1COU shown with RAP-B-138U

RAM® Flat Surface Mount with Sealed Enclosure Small Size Aqua Box®

The RAM-B-138-AQ3U consists of a double socket arm, two 2.5" diameter round bases with the universal AMPS hole pattern and sealed enclosed small size AQUA BOX. The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; allowing for almost infinite adjustment and perfect viewing angles. The AQUA BOX. case provides sealed enclosure and protection for your handheld device. The clear, touch through screen allows you to view your electronics as well as use their function keys while in place. There is even a place for a small lock to serve as a theft deterrent.

Part Number: RAM-B-138-AQ3U

Material: High Strength Composite and Powder Coated Marine Grade Aluminum

Ball Size: 1" Rubber Ball

AQUA BOX® Internal Dimensions: AQUA BOX® External Dimensions:

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail, Adhesive.





RAM® Composite Flat Surface Mount with Sealed Enclosure Medium Size Aqua

The RAM-B-138-AQ2 consists of a double socket arm, two 2.5" diameter round bases with the universal AMPS hole pattern and sealed enclosed medium size AQUA BOX®. The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles. The AQUA BOX® case provide sealed enclosure and protection for your handheld device. The clear, touch through screen allows you to view your electronics as well as use their function keys while in place. There is even a place for a small lock to serve as a theft deterrent.

Part Number: RAM-B-138-AQ2

Material: High Strength Composite.

Ball Size: 1" Rubber Ball

AQUA BOX® External Dimensions:

Width=3.5", Height=5.25", Depth=1.5" inches

AQUA BOX® Internal Dimensions: Width=2.38", Height=4.63", Depth=1.13" inches

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail, Adhesive.

RAM® Flat Surface Mount with Sealed Enclosure Large Size Aqua Box®

The RAM-B-138-AQ1U consists of a double socket arm, two 2.5" diameter round bases with the universal AMPS hole pattern and sealed enclosed large size AQUA BOX®. The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; allowing for almost infinite adjustment and perfect viewing angles. The AQUA BOX® case provides sealed enclosure and protection for your handheld device. The clear, touch through screen allows you to view your electronics as well as use their function keys while in place. There is even a place for a small lock to serve as a theft deterrent.

Part Number: RAM-B-138-AQ1U AQUA BOX⊕ External Dimensions:

Ball Size: 1" Rubber Ball Width=4.5", Height=8.75", Depth=3" inches

Material: High Strength Composite and Powder Coated Marine Grade Aluminum

Ball Size: 1" Rubber Ball

AQUA BOX® Internal Dimensions:

Width=3.5", Height=8.43", Depth=2.25" inches

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail, Adhesive.

Level-Cup™ Self-Leveling Cup Holder with Rail Mount

The RAM-B-132RU consists of a zinc coated u-bolt base, double socket arm and self-leveling drink cup holder with cozy. Included in this package is hardware that will accommodate rails from 0.50" to 1.25" in diameter. The base includes black cover caps to be placed over the exposed ends of the u-bolt. The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; allowing for almost infinite adjustment. The drink cup holder has two pivot points, allowing for your drink to always stay upright and never spill.

Part Number: RAM-B-132RU Material: High Strength Composite.

Ball Size: 1" Rubber Ball





RAM® Anchor Line Lock with Spline Post

The RAP-357PU consists of the RAM anchor line lock with spline post. For use with anchor line up to 1/2" in diameter, operation is smooth and simple while the product itself is compact and durable. The RAP-357PU can be flush mounted, or dropped into an existing rod holder base to stay right where you want on the water.

Part Number: RAP-357PU

Material: High Strength Composite

Ball Size: 1" Rubber Ball

Available bases: Bulkhead Mount Base, Deck Mount Base, Deck Track Mount Base, Rectangle Flush Mount Base, and Round Flush Mount Base.

RAM® 5 Spot Rod Holder Base with Wedge Post

Get the most out of the limited space available on your kayak or boat with the RAM® 5 Spot Mount. With five locations to use for anything from rod holders to your fishfinder, this simple product provides unsurpassed versatility. Hard mount directly to the vessel or use the post and spline adapter to securely mount to your current rod holder mounting base. The 5 Spot Mount features locations for hanging hooks, lures, pliers, clippers and many other angling essentials.

Part Numbers: RAP-383U, RAP-114-AP-RBU, RAP-114-5PU Material: High Strength Composite

Dimensions:

Length: 18.375", Width: 3.625"







The Smartphone Mounting System... EVOLVED

X-GRIP® FEATURES:

48

- Spring loaded holders expand and contract for a perfect fit with your device
- Rubber coated tips hold device firm and stable
- Versatility of holder allows for attachment to many RAM mounts
- Ball and socket technology enables multiple adjustment angles and articulation



RAM® Composite Flat Surface Mount with Universal X-Grip® Cell Phone Holder

The RAP-B-138-UN7 consists of a 2.5" diameter round base with the universal AMPS hole pattern, double socket arm and universal spring loaded X-Grip® holder for cell phones. Designed into the mount is a 1" diameter patented rubber ball and socket system with adjustment points at both ends of the socket arms, enabling infinite adjustment to find that perfect viewing angle. The included X-Grip® cradle has a clean and clever four leg design that sports great holding power without hiding your phone behind foam pads and plastic. The spring loaded X-Grip® holder expands and contracts, allowing for a perfect custom fit of your cell phone.

Compatible with Devices with the following Holder Dimensions:

Minimum Width = 1.875" Maximum Width = 3.25" Depth = 0.875"

Part Number: RAP-B-138-UN7

Material: High Strength Composite and Stainless Steel Hardware

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail, Adhesive, and More!





Jackson

"My career depends upon taking my kayak into wild places to catch wild fish! I can't afford to use any product that doesn't give me the best chance to make that happen. Due to fishing out of a small watercraft like a Jackson Kayak, I especially love the RAM ball technology which allows me to adjust the accessory to be at the exact angle I need it. Combine that with the diversity, quantity and quality of the RAM line and you can clearly see why I depend on it."

Drew Gregory, "BasserDrew", Jackson Kayak

RAM® X-Grip® Large Phone/Phablet Mounts



The RAP-B-378-UN10U consists of a flexible adhesive base with 1" ball, double socket arm and universal spring loaded X-Grip® IV holder for large smartphones and phablets. Using a high strength adhesive pad, install the mount practically anywhere you want to place your portable electronic device.

Holder Dimensions: Minimum Width = 1.75" Maximum Width = 4.5"

Part Number: RAP-B-378-UN10U

Material: High Strength Composite and Stainless Steel Hardware

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail, Adhesive.



RAM® X-Grip® II for Small Tablets

The RAP-B-378-UN8U consists of a flexible adhesive base with 1" ball, double socket arm and universal spring loaded X-Grip® II holder for small tablets. Using a high strength adhesive pad, install the mount practically anywhere you want to place your portable electronic device. The spring loaded X-Grip® II holder expands and contracts, allowing for a perfect fit of your 7" tablet. Two easy access grip knobs located on the back of the holder enable quick release of your tablet.

Compatible with Devices with the following Holder Dimensions:

Minimum Width = 2.25"

(Devices 2.25" in width must be a minimum of 7" in height to fit)

Maximum Width = 5.75"

Depth = 0.875"

Part Number: RAP-B-378-UN8U

Material: High Strength Composite and Stainless Steel Hardware

Ball Size: 1" Rubber Ball

Available bases: Suction Cup, Flat Surface, Strap, U-Bolt, Track Rail, Adhesive.





RAM® Twist-Lock™ Double Suction Cup Mount with Universal X-Grip® III for Large Tablets

The RAM-B-189-C-UN9U consists of a double 3.25" twist lock suction cup base, long double socket arm, round base adapter and universal X-Grip® III cradle for 10" tablets. The suction cup base is designed to have a strong hold on glass and non-porous surfaces. The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has adjustment points at both ends of the double socket arm; allowing for almost infinite adjustment and perfect viewing angles. Two easy access grip knobs located on the back of the holder enable quick release of your tablet.

Compatible with Devices with the following Holder Dimensions:

Minimum Width = 6.25"

Maximum Width = 8.1"

Depth = 0.875

Part Number: RAM-B-189-C-UN9U

Material: High Strength Composite and Stainless Steel Hardware

Ball Size: 1" Rubber Ball



